

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1903	residential gateway	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L2	152	residential gateway and (address or rout\$5) near2 table	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L3	354	edge switch and (address or rout\$5) near2 table	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L4	202	edge switch and (address or rout\$5) near2 table and @ad< "20021115"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L5	94	edge switch and (address or mac) near2 table and @ad< "20021115"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L6	91	voip near3 analog near3 adapter	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L7	383	voip near3 adapter	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L8	33	((address or rout\$5) near2 table) and (voip near3 adapter)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L9	9902	(gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42

L10	4061	(gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (address near4 table)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L11	1559	gateway and ((map\$6 or associat\$5) with port with (mac or address)) and (address near4 table)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L12	107	gateway and ((map\$6 or associat\$5) with port with (mac or address)) and (address near4 table) and 709/238.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L13	3	(voip near2 gateway) and ((map\$6 or associat\$5) with port with (mac or address)) and (address near4 table) and 709/238.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L14	16	voip and gateway and ((map\$6 or associat\$5) with port with (mac or address)) and (address near4 table) and 709/238.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L15	4	"2002054589"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L16	3	"20020054589"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L17	7	"2359222"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L18	11	(SUBRAMANIAN and RAMAKRISHNAN).in.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L19	62	(george and deepak).in.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L20	30650	infineon.as.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42

L21	4540	infineon.as. and @pd< "20011115"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L22	2263	(learn or register) near3 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L23	601	gateway and (learn or register) near3 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L24	320	gateway and (address near2 table) and (learn or register) near3 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L25	193	gateway and ((map\$6 or associat\$5) with port with (mac or address)) and (address near2 table) and (learn or register) near3 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L26	15	L25 and 709/238.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L27	4136	709/238.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L28	415	709/238.ccls. and L9	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L29	144	709/238.ccls. and L9 and (rout \$4 with destination with table)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L30	1238	layer "2" (switch or router or gateway)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L31	299	L30 and ((map\$6 or associat \$5) with port with (mac or address))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42

L32	291	(unknown or unrecognized) near2 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L33	240	L32 and (gateway or switch or router)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L34	94	L33 and ((map\$6 or associat \$5) with port with (mac or address))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L35	120	(unknown or unrecognized) near4 destination near4 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L36	27	L35 and "709".cls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L37	703	voip near2 (handset or apparatus)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L38	124	voip near2 (handset or apparatus) and @ad< "20021115"	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L39	40	voip near2 (handset or apparatus) and @ad< "20021115" and microphone and speaker	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L40	29	voip near2 (handset or apparatus) and @ad< "20021115" and microphone and speaker and ethernet	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L41	7287	709/238,249,250.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L42	631	L41 and (gateway or switch or router) and ((map\$6 or associat \$5) with port with (mac or address))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42

L43	582	L41 and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (ethernet or IP)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L44	34	L41 and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (ethernet or IP) and (layer "2" (switch or router or gateway))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L45	4474	"370".clas. and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L46	13395	370/349,401,474.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L47	939	L46 and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (ethernet or IP)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L48	37	L46 and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (ethernet or IP) and (layer "2" (switch or router or gateway))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L49	18305	370/349,392,401,474.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L50	1341	L49 and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (ethernet or IP)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L51	71	L49 and (gateway or switch or router) and ((map\$6 or associat\$5) with port with (mac or address)) and (ethernet or IP) and (layer "2" (switch or router or gateway))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L52	291	(unknown or unrecognized) near2 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42

L53	35	(internet port) same router	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L54	87473	(first or single) adj2 port	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L55	550	L54 and (learn or register) near3 mac	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L56	395	L55 and (@rlad<="20021115" or @ad<="20021115" or @pd<="20021115")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L57	20	(mac address) near5 (external port)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L58	12793	external adj2 port	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L59	1161	(external adj2 port) with (switch or router)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L60	22	L59 and (mac near2 table)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L61	4189	subramanian.in.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L62	215260	george.in.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L63	5310	mohamed.in.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42

L64	8	(L61 or L62 or L63) and (switch and MAC and address and table).clm.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L65	3831	709/220.ccls.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L66	2422	L65 and (@rlad<="20021115" or @ad<="20021115" or @pd<="20021115")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L67	24	L66 and (mac near2 table)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L68	37	L66 and (mac near2 (table or list or database))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L69	973	router same (external\$4 near4 port)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L70	7285	(router or switch) same (external\$4 near4 port)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L71	3168	(router or switch) with (external \$4 near4 port)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L72	94	L71 and (mac near2 (table or list or database))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L73	3168	(router or switch) with (external \$4 near4 port)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L74	226	L73 and ((mac or "IP") near2 (table or list or database))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42

L75	167	L74 and (@rlad<"20021115" or @ad<"20021115" or @pd<"20021115")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L76	152	L73 and ("IP" near2 (table or list or database))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L77	122	L76 and (@rlad<"20021115" or @ad<"20021115" or @pd<"20021115")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L78	64	("4293948" "4553234" "4706080" "4750171" "4752924" "4757497" "4836317" "4908824" "4933937" "4947390" "5003531" "5086426" "5101405" "5105188" "5179548" "5218603" "5220562" "5301185" "5327431" "5337309" "5412652" "5444692" "5477540" "5483536" "5490252" "5495232" "5497370" "5581710" "5600366" "5610905" "5617421" "5651000" "5651003" "5652615" "5657327" "5659543" "5684800" "5815489" "5815490" "5822018" "5841468" "5845068" "5872783" "5892922" "5909686" "5920566" "6011780" "6049824" "6137797" "6154462" "6266336" "6331985" "6363077" "6389030").FN. OR ("7065095").URPN.	US-PGRUB; USPAT; USOCR	ADJ	ON	2009/06/06 16:42
L79	2	"6829651".pn.	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L80	57	local\$4 near4 mac near4 address near4 learn\$4	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42

L81	37	L80 and (@rlad<"20021115" or @ad<"20021115" or @pd<"20021115")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L82	8	("5684800" "6115376" "6430188" "6614764" "6657991").PN. OR ("6778542").URFN.	US-PGRUB; USPAT; USOCR	ADJ	ON	2009/06/06 16:42
L83	24	(wan near2 port) and (learn\$4 near4 mac)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L84	52	(wan near2 (port or interface)) and (learn\$4 near4 mac)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L85	134	(wan near2 (port or interface)) and (mac near2 (table or list or database))	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L86	78	L85 and (@rlad<"20021115" or @ad<"20021115" or @pd<"20021115")	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42
L87	15	("5802316" "5987524" "6047325" "6115545" "6151635" "6167444" "6178455" "6195425" "6574664" "6665305" "6763023").PN. OR ("6931018").URFN.	US-PGRUB; USPAT; USOCR	ADJ	ON	2009/06/06 16:42
L88	20	("5329527" "5818842" "5920705" "6172981" "6256314" "6331985").PN. OR ("6763023").URFN.	US-PGRUB; USPAT; USOCR	ADJ	ON	2009/06/06 16:42
L89	14	disab\$6 near4 mac near4 learn \$4	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/06 16:42

6/ 6/ 2009 4:47:08 PM

C:\Documents and Settings\ssciaccia\My Documents\EAST\Workspaces\10535172 - Reducing memory requirements of a switch.wsp